

MIXERS



MIXERS: Mixer for cementitious dry mix mortars.



M22R

TECHNICAL DATA

	SINGLE-PHASE	THREE-PHASE
Electric motor	2,2 kW - 230 V - 50 Hz	3 kW - 400 V - 50 Hz
Tank capacity	100 l	
Water pump	0,55 kW	
Water pump pressure	2 bar	
Mixing capacity*	30 l/min	
Dimensions (W x L x H)	2250 x 680 x 1150mm	
Weight	160 kg	
Noise		

* The data indicated may vary depending on the viscosity, quality and composition of the mixture.



TP4

TECHNICAL DATA

	SINGLE-PHASE
Electric motor	1,1 kW - 230 V - 50 Hz
Tank capacity	38 l
Loading height	940 mm
Mixing capacity*	6 - 12 l/min
Weight	65 kg
Dimensions (W x L x H)	1600 x 620 x 940 mm
Noise	< 65 dB(A) LW

* The data indicated may vary depending on the viscosity, quality and composition of the mixture.



MP60

TECHNICAL DATA	SINGLE-PHASE
Electric motor	0,5 kW - 220 V - 50 Hz
Tank capacity	60 l
Mixing capacity*	40 l
Dimensions (W x L x H)	687 x 605 x 811 mm
Weight	43 kg (with electric motor)
Noise	83 dB(A) LW

* The data indicated may vary depending on the viscosity, quality and composition of the mixture.



MP130

TECHNICAL DATA	SINGLE-PHASE	THREE-PHASE
Electric motor	1,5 kW - 220 V - 50 Hz	1,5 kW - 400 V - 50 Hz
Tank capacity	130 l	
Mixing capacity*	70 l	
Dimensions (W x L x H)	950 x 850 x 1040/1260 mm	
Weight	138 kg (with electric motor)	
Noise	85 dB(A) LW	

* The data indicated may vary depending on the viscosity, quality and composition of the mixture.



MP130

TECHNICAL DATA	SINGLE-PHASE	THREE-PHASE
Electric motor	1,5 kW - 220 V - 50 Hz	1,5 kW - 400 V - 50 Hz
Tank capacity	130 l	
Mixing capacity*	70 l	
Dimensions (W x L x H)	950 x 850 x 1040/1260 mm	
Weight	138 kg (with electric motor)	
Noise	85 dB(A) LW	

* The data indicated may vary depending on the viscosity, quality and composition of the mixture.



TURBOSOL®
PUMPING SYSTEMS

TURBOSOL PRODUZIONE S.r.l.

Via Alessandro Volta, 1 - 31030 Pero di Breda di Piave (Treviso) - Italia

Tel. +39 0422 90251 - Fax +39 0422 904408 - E-mail: info@turbosol.it - www.turbosol.com

Model equipment and related options may vary due to specific market or legal requirements. The information in this brochure is provided for informational purposes only. Turbosol Produzione Srl may modify the models described in this brochure at any time for technical or commercial reasons.

